


Stroke/Neurovascular Outcomes Report

Time to Intravenous Thrombolytic Therapy - 60 min


Percent of acute ischemic stroke patients receiving intravenous tissue plasminogen activator (tPA) therapy during the hospital stay who have a time from hospital arrival to initiation of thrombolytic therapy administration (door-to-needle time) of 60 minutes or less.

Time Period: 2016 – 2018
(Source: Get With The Guidelines)



Aspiration Pneumonia


Time Period: 2015- 2018
(Source: University Health System Consortium (Vizient))



Stroke/Neurovascular Outcomes Report

Diagnostic Cerebral Angiography Stroke and Death rate within 24 hours of procedure

Time Period: 2015- 2018
(Source: University Health System Consortium (Vizient))



VTE Prophylaxis

Percent of patients with an ischemic stroke, or a hemorrhagic stroke, or stroke not otherwise specified who receive VTE prophylaxis the day of or the day after hospital admission.

Time Period: 2016 –2018
(Source: Get With The Guidelines)




Stroke/Neurovascular Outcomes Report

Antithrombotics

Percent of patients with an ischemic stroke or TIA prescribed antithrombotic therapy at discharge.

Time Period: 2016 – 2018

(Source: Get With The Guidelines)




Anticoag for AFib/AFlutter

Percent of patients with an ischemic stroke or TIA with atrial fibrillation/flutter discharged on anticoagulation therapy.

Time Period: 2016 – 2018

(Source: Get With The Guidelines)



Stroke/Neurovascular Outcomes Report

IV rt-PA Arrive by 2 Hour, Treat by 3 Hour

Percent of acute ischemic stroke patients who arrive at the hospital within 2 hours of time last known well and for whom IV t-PA was initiated at this hospital within 3 hours of time last known well.

Time Period: 2016–2018

(Source: Get With The Guidelines)

